

| Pagina | Tip Produs | Model | PR Euro | Stoc | Descriere |
|---------|--------------------------|--------------|-----------|------|--|
| Catalog | | | TVA incl. | | |
| 9 | Cuptor electric | OMBRA1SS | 1690 | | 60 cm, 10 F, 64 l, Touch Control , inter. inox |
| 9 | Plita inductie | OMBRA2SS | 1390 | | 77 cm, 4 zone inductie, Timer, blocare siguranta |
| 10 | Hota | OMBRA3SS | 1360 | | 90 cm, Touch Control , 4 vit., 3 lum. halogen, 800 m3/ora |
| 10 | Masina Spalat Vase | OMBRA4SS | 1940 | | H 46 cm, 6 seturi, 5 progr., LED display, Aquastop |
| 13 | Cuptor electric | TG1 | 1230 | | Maxi, 9F, 72 l, programator LED, email "Easy Clean", rosu |
| 13 | Cuptor electric | MG1 | 1230 | | Maxi, 9F, 72 l, programator LED, email "Easy Clean", portocaliu |
| 13 | Cuptor electric | SB1 | 1230 | | Maxi, 9F, 72 l, programator LED, email "Easy Clean", galben |
| 14 | Plita gaz | TG7IT | 858 | | 60 cm, 5 arzati., valva, design RaNa, rosu |
| 14 | Plita gaz | MG7IT | 858 | | 60 cm, 5 arzati., valva, design RaNa, portocaliu |
| 14 | Plita gaz | SB7IT | 858 | | 60 cm, 5 arzati., valva, design RaNa, galben |
| 15 | Hota | TG3 | 1140 | | 90 cm, Touch Control , 4 vit., 3 lum. halogen, 780 m3/ora, rosu |
| 15 | Hota | MG3 | 1140 | | 90 cm, Touch Control , 4 vit., 3 lum. halogen, 780 m3/ora, portocaliu |
| 15 | Hota | SB3 | 1140 | | 90 cm, Touch Control , 4 vit., 3 lum. halogen, 780 m3/ora, galben |
| 16 | Combina frigorifica | TG6 | 684 | | 270/207 l, A+, rosu |
| 16 | Combina frigorifica | MG6 | 684 | | 270/207 l, A+, portocaliu |
| 16 | Combina frigorifica | SB6 | 684 | | 270/207 l, A+, galben |
| 23 | Cuptor electric | POM9651SS | 1120 | | 12 F, 63 l, ctrl. cu Joystick, programator LED, inox anti-ampr. |
| 23 | Cuptor electric | P660SS | 1050 | | 10 F, 57 l, Touch Control , programator LED, inox anti-ampr. |
| 23 | Cuptor electric | P650SS | 902 | | 9 F, 63 l, pirolitic, neutralizare catalitica fum, inox anti-ampr. |
| 24 | Cuptor electric | P632SS | 651 | | 9 F, 57 l, ghidaje telescop., email "Easy Clean", inox anti-ampr. |
| 24 | Cuptor electric | P625SS | 629 | | 9 F, 57 l, programator LED, inox anti-ampr. |
| 24 | Cuptor electric | P620BL | 606 | | 7 F, 57 l, programator LED, geam inter. usa extract., negru |
| 25 | Cuptor electric | P615SS | 540 | √ | 5 F, 57 l, programator LED, geam inter. usa extract., inox anti-ampr. |
| 25 | Cuptor electric | P613SS | 459 | √ | 5 F, 57 l, Timer, inox anti-ampr. |
| 25 | Cuptor electric | P901SS | 1340 | | 90cm, 9 F, "Extra Large" 92 l, geam inter. usa extract., inox anti-ampr. |
| 27 | Cuptor electric | BO636SS | 501 | | 7 F, inox, 63 l, programator LED |
| 27 | Cuptor electric | BO632SS | 476 | | 7 F, inox, 63 l, Timer |
| 27 | Cuptor electric | B501BS | 688 | | 7 F, 57 l, programator LED, email "Easy Clean", negru |
| 28 | Cuptor electric | B501SS | 561 | √ | 7 F, 57 l, programator LED, email "Easy Clean", inox anti-ampr. |
| 28 | Cuptor electric | BOM7240SS | 578 | | 7 F, 57 l, programator LED, email "Easy Clean", inox anti-ampr. |
| 28 | Cuptor electric | BO624SS | 375 | √ | 5 F, inox, 63 l, geam inter. usa extract. |
| 29 | Cuptor electric | BO628SS | 459 | √ | 5 F, inox, 63 l, programator LED |
| 29 | Cuptor gaz | POG4201SS | 684 | | 5 F, 57 l, programator LED, valva, grill, inox anti-ampr. |
| 29 | Cuptor gaz | BOG4101SS | 486 | √ | 4 F, 57 l, Timer, valva, aprind. autom., inox anti-ampr. |
| 31 | Cuptor electric | B170.2IT.RA | 684 | | 6 F, rustic, 57 l, Timer analogic, aramiu |
| 31 | Cuptor electric | B170.2IT.AV | 646 | √ | 6 F, rustic, 57 l, Timer analogic, avena |
| 31 | Cuptor electric | B170.2IT.GBL | 680 | | 6 F, rustic, 57 l, Timer analogic, negru |
| 36 | Cuptor aburi+electr. H46 | P470SS | 1830 | | H 46 cm, 6 F, 31 l, Touch Control , inox anti-ampr. |
| 36 | Cuptor electric H46 | P460SS | 1050 | | H 46 cm, 10 F, 45 l, Touch Control , termostat electr., inox anti-ampr. |
| 37 | Cuptor micro+electr. H46 | PMC355SS | 1280 | | H 46 cm, 6 F, 35 l, Touch Control , 5 niv. putere, inox anti-ampr. |
| 37 | Cafetiera H46 | PECM1SS | 1220 | | H 46 cm, Touch Control , dispenser apa fierbinte, inox anti-ampr. |
| 38 | Cuptor aburi+grill H46 | POT2010SS | 1250 | | H 46 cm, 2 F, 31 l, grill, programator LED, inox anti-ampr. |
| 38 | Cuptor aburi H38 | BO301SS | 850 | | H 38 cm, 4 F, 22 l, programator LED, 18 retete, inox anti-ampr. |
| 38 | Sertar termic | PD4SS | 694 | | H 29 cm, 5 F, temp. reglabila pana la 70 C, 12 seturi vesela, inox |
| 39 | Sertar termic | PD3SS | 516 | | H 14 cm, 3 F, temp. reglabila pana la 85 C, 6 seturi vesela, inox |
| 41 | Cuptor microunde | BMM201SS | 553 | | 4 F, 20 l, 4 niv. putere, putere 800W, inox |
| 41 | Cuptor microunde | BMM174SS | 263 | | 8 F, 17 l, 5 niv. putere, putere 700W, inox anti-ampr. |
| 41 | Cuptor microunde+grill | BTM30SS | 368 | √ | 7 F, 30 l, 11 niv. putere, putere 900W, grill 1000W, inox |
| 42 | Cuptor microunde+grill | BTM25.2M | 350 | √ | 16 F, 25 l, 11 niv. putere, putere 900W, grill 1200W, inox |
| 49 | Plita inductie | PI645 | 836 | √ | 60 cm, Front Touch Control , 4 zone cu fct. inductie, Timer, 4 x Booster |
| 49 | Plita inductie | PHI604 | 968 | | 60 cm, Front Touch Control , 4 zone cu fct. inductie, Timer |
| 49 | Plita vetroceramica | PHC602 | 460 | | 60 cm, Front Touch Control , 4 zone Hyperspeed, Timer |
| 50 | Plita vetroceramica | PHC720SS | 718 | | 77 cm, Front Touch Control , 4 zone Hyperspeed, Timer |
| 50 | Plita vetroceramica | BHC925SS | 883 | | 90 cm, Front Touch Control , 5 zone Hyperspeed, Timer, rama inox |
| 50 | Plita vetroceramica | B27SS | 893 | | 90 cm, Front Touch Control , 4 zone Hyperspeed, Timer, rama inox |
| 51 | Plita inductie | BHI610 | 889 | | 60 cm, Front Touch Control , 4 zone cu fct. inductie, Timer, 1 Booster |
| 51 | Plita vetroceramica | BHC605 | 390 | √ | 60 cm, Front Touch Control , 4 zone Hyperspeed, Timer |
| 51 | Plita vetroceramica | B45 | 695 | | ∅ 52 cm, rotunda, Front Touch Control , 3 zone Hyperspeed |
| 53 | Plita gaz | PHG602 | 458 | | 60 cm, Cristallo, 4 arzati., valva, design RaNa |
| 53 | Plita gaz | B71TCBL | 428 | | 60 cm, Cristallo, 4 arzati., valva, design RaNa, negru |
| 53 | Plita gaz | B78BL | 615 | | 70 cm, Cristallo, 5 arzati., valva, design RaNa, negru |

| Pagina | Tip Produs | Model | PR Euro | Stoc | Descriere |
|---------|---------------------|------------------|-----------|------|---|
| Catalog | | | TVA incl. | | |
| 55 | Plita gaz | B77BL | 429 | | 70 cm, Cristallo, 5 arzat., valva, design RaNa |
| 55 | Plita gaz | B26SS | 590 | | 90 cm, Cristallo, 4 arzat., valva, design RaNa, rama inox |
| 55 | Plita gaz | P62SS | 296 | √ | 60 cm, 4 arzat., valva, aprind. electr., sup. fonta |
| 56 | Plita gaz | P68SS | 412 | √ | 70 cm, 5 arzat., valva, aprind. electr., sup. fonta |
| 56 | Plita gaz | P68BL | 413 | | 70 cm, 5 arzat., valva, aprind. electr., sup. fonta |
| 56 | Plita gaz | PF75SS | 580 | | 70 cm, 5 arzat., valva, aprind. electr., montaj la nivelul blatului |
| 57 | Plita gaz | P90SS | 489 | | 90 cm, 5 arzat., valva, aprind. electr., sup. fonta |
| 57 | Plita gaz | B46SS | 146 | √ | 60 cm, 4 arzat., aprind. electr., ctrl. lateral |
| 57 | Plita gaz | B46.1TCSS | 191 | | 60 cm, 4 arzat., valva, aprind. electr., ctrl. lateral |
| 57 | Plita gaz | BG60.1TCSS | 263 | | 60 cm, 4 arzat., valva, aprind. electr., ctrl. lateral |
| 59 | Plita gaz | B57.SS | 182 | | 60 cm, 4 arzat., aprind. electr. |
| 59 | Plita gaz | B57.1TCSS | 232 | √ | 60 cm, 4 arzat., valva, aprind. electr. |
| 59 | Plita gaz | BT62SS | 251 | | 60 cm, 4 arzat., aprind. electr., sup. fonta |
| 59 | Plita gaz | BT62.1TCSS | 299 | √ | 60 cm, 4 arzat., valva, aprind. electr., sup. fonta |
| 59 | Plita gaz | B68SS | 363 | | 70 cm, 5 arzat., aprind. electr., sup. fonta |
| 59 | Plita gaz | B68.1TCSS | 443 | √ | 70 cm, 5 arzat., valva, aprind. electr., sup. fonta |
| 61 | Plita gaz | B60.1IT.RA | 300 | | 60 cm, 4 arzat., valva, aprind. electr., aramiu |
| 61 | Plita gaz | B60.1IT.AV | 288 | | 60 cm, 4 arzat., valva, aprind. electr., avena |
| 61 | Plita gaz | B60.1IT.GBL | 300 | | 60 cm, 4 arzat., valva, aprind. electr., negru |
| 62 | Plita gaz | B68IT.RA | 435 | | 70 cm, 5 arzat., valva, aprind. electr., sup. fonta, aramiu |
| 62 | Plita gaz | B68IT.AV | 435 | √ | 70 cm, 5 arzat., valva, aprind. electr., sup. fonta, avena |
| 62 | Plita gaz | B68IT.GBL | 435 | | 70 cm, 5 arzat., valva, aprind. electr., sup. fonta, negru |
| 63 | Plita electrica | B65SS | 225 | | 60 cm, 4 zone radiante, inox, ctrl. lateral |
| 63 | Plita electrica | B65.1SS | 225 | | 60 cm, 4 zone radiante, inox, ctrl. lateral, but. argintii |
| 63 | Plita electrica | BE2SS | 154 | | 30 cm, 2 zone radiante, inox |
| 63 | Plita electrica | BE2.1SS | 154 | | 30 cm, 2 zone radiante, inox, but. argintii |
| 63 | Plita gaz | BG2SS | 144 | | 30 cm, 2 arzat., inox |
| 63 | Plita gaz | BG2.1SS | 144 | | 30 cm, 2 arzat., inox, but. argintii |
| 64 | Plita gaz | PWK1SS | 244 | | 30 cm, 1 arzator Hypergas, valva, inox, sup. fonta |
| 64 | Plita gaz | PG2SS | 190 | √ | 30 cm, 2 arzat., valva, aprind. electr., sup. fonta |
| 64 | Barbeque | PBQSS | 315 | | 30 cm, barbeque, tuf vulcanic, gratar emailat extract. |
| 65 | Friteuza | PF1SS | 389 | | 30 cm, 3 l, putere 2.30 kW, recip. pt. ulei si cos din inox extract. |
| 65 | Plita vitroceramica | PVC2SS | 299 | √ | 30 cm, 2 zone Hyperspeed, inox, indic. caldura reziduala |
| 65 | Plita inductie | BIZ3SS | 653 | | 30 cm, 2 zone cu fct. inductie, 2 indic. de caldura reziduala |
| 66 | Plita vitroceramica | BTC2.1SS | 351 | | 30 cm, 2 zone Hyperspeed, 2 indic. de caldura reziduala, Timer |
| 71 | Masina gatit | PCC9120TCSS | 1910 | | 90 cm, plita gaz, 5 arzat., cuptor multifunct. , 8 F, 107 l, Freestanding |
| 71 | Masina gatit | BRC4GBL | 2950 | | 90 cm, rustic, plita gaz, 5 arzat., cuptor stg. 8 F, cuptor dr. 5 F, negru |
| 72 | Masina gatit | BRC4BDY | 2950 | | 90 cm, rustic, plita gaz, 5 arzat., cuptor stg. 8 F, cuptor dr. 5 F, bordeaux |
| 72 | Masina gatit | BRC4IV | 2950 | | 90 cm, rustic, plita gaz, 5 arzat., cuptor stg. 8 F, cuptor dr. 5 F, ivoire |
| 77 | Hota | P31SS | 963 | | 90 cm, 4 vit., Timer, 2 lum. halogen, 780 m3/ora, inox "FASTEEL" |
| 77 | Hota | P30SS | 972 | | 90 cm, 4 vit., Timer, 2 lum. halogen, 780 m3/ora, inox "FASTEEL" |
| 77 | Hota | P35SS | 1160 | | 90 cm, 4 vit., Timer, 3 lum. halogen, 780 m3/ora, inox "FASTEEL" |
| 78 | Hota | P15SS | 818 | | 90 cm, 4 vit., 1 lum. fluorescenta, 780 m3/ora, inox |
| 78 | Hota | PU970SS | 526 | | 90 cm, 3 vit., 2 lum. , 750 m3/ora, inox |
| 78 | Hota insula | PTI9735SS | 530 | | 90 cm, 3 vit., 4 lum. halogen, 750 m3/ora, inox |
| 79 | Hota insula | PI1SS | 846 | | 40 cm, 4 vit., 4 lum. halogen, 780 m3/ora, inox |
| 79 | Hota insula | PI2SS | 1030 | | 35 cm, 4 vit., 4 lum. halogen, 780 m3/ora, inox |
| 79 | Hota insula | SEGRETO | 1450 | | 30 cm, 3 vit., 1 lum. halogen, 220 m3/ora, lum. ambientala |
| 81 | Hota insula | ASTI | 1520 | | 50 cm, 4 vit., 1 lum. halogen, 300 m3/ora, ctrl. prin senzor |
| 81 | Hota | RESANA 90 alba | 1700 | | 90 cm, 4 vit., Timer, 2 lum. halogen, 650 m3/ora, alb |
| 81 | Hota | RESANA 90 neagra | 1670 | | 90 cm, 4 vit., Timer, 2 lum. halogen, 650 m3/ora, negru |
| 83 | Hota | ALBENGA 70 | 1650 | | 70 cm, 4 vit., Timer, 2 lum. halogen, 650 m3/ora |
| 83 | Hota | ALBENGA 90 | 1770 | | 90 cm, 4 vit., Timer, 2 lum. halogen, 650 m3/ora |
| 83 | Hota | BARI | 1880 | | 80 cm, 3 vit.+ Booster, Touch Control , 2 lum. halogen, 630 m3/ora |
| 83 | Hota | SUNO | 1060 | | 90 cm, 4 vit., Timer, 2 lum. halogen, 900 m3/ora, Booster |
| 84 | Hota | Caserta 80 | 569 | | 80 cm, 3 vit., 2 lum. halogen, 900 m3/ora, inox |
| 84 | Hota | Caserta 90 | 589 | | 90 cm, 3 vit., 2 lum. halogen, 900 m3/ora, inox |
| 84 | Hota | Caserta 120 | 653 | | 120 cm, 3 vit., 2 lum. halogen, 900 m3/ora, inox |
| 84 | Hota | Economy SL 600 | 181 | √ | 60 cm, 3 vit., Slider, 2 lum. standard, 450 m3/ora, inox |
| 84 | Hota | Economy SL 900 | 230 | | 90 cm, 3 vit., Slider, 2 lum. standard, 450 m3/ora, inox |
| 85 | Hota de tavan | CAPRI | 2590 | | 120 cm, 4 vit., Timer, telecomanda, 900 m3/ora, inox |
| 85 | Hota peninsula | PIACENZA 150 | 1710 | | 150 cm, 3 vit., 4 lum. halogen, 650 m3/ora, inox |
| 85 | Hota de colt | ALASSIO | 1196 | | 100 cm, 3 vit., 4 lum. halogen, 570 m3/ora, inox |
| 86 | Hota insula | BTI9170GL | 675 | | 90 cm, 3 vit., 4 lum. halogen, Touch Control , LCD, 1000 m3/ora |

| Pagina | Tip Produs | Model | PR Euro | Stoc | Descriere |
|---------|------------------------|-----------|-----------|------|---|
| Catalog | | | TVA incl. | | |
| 86 | Hota | BTC6750GL | 346 | | 60 cm, 3 vit., 2 lum. halogen, Touch Control , LCD, 750 m3/ora |
| 86 | Hota | BTC9750GL | 410 | | 90 cm, 3 vit., 2 lum. halogen, Touch Control , LCD, 750 m3/ora |
| 87 | Hota | BTC6740SS | 273 | √ | 60 cm, 3 vit., 2 lum. halogen, Touch Control , LCD, 750 m3/ora |
| 87 | Hota | BTC9740SS | 298 | √ | 90 cm, 3 vit., 2 lum. halogen, Touch Control , LCD, 750 m3/ora |
| 87 | Hota | F60.2SS | 170 | | 60 cm, 3 vit., 2 lum., 500 m3/ora |
| 88 | Hota | F90.2SS | 210 | | 90 cm, 3 vit., 2 lum., 500 m3/ora |
| 88 | Hota | BT9.3GL | 456 | | 90 cm, 3 vit., 2 lum. halogen, 500 m3/ora, rama sticla |
| 88 | Hota | BT9.3BGL | 460 | | 90 cm, 3 vit., 2 lum. halogen, 500 m3/ora, rama sticla neagra |
| 89 | Hota telescopica | TEL06SS | 124 | √ | 60 cm, 3 vit., 2 lum., 440 m3/ora, inox |
| 89 | Hota integrata | BT06.7ME | 123 | | 60 cm, 3 vit., 1 lum., 330 m3/ora |
| 89 | Hota | STD6.2SS | 85 | | 60 cm, 3 vit., 1 lum., 180 m3/ora, inox |
| 89 | Hota | STD6.2W | 64 | | 60 cm, 3 vit., 1 lum., 180 m3/ora, alb |
| 90 | Hota integrata | CAN75.2SS | 180 | | 75 cm, 3 vit., 2 lum. halogen, 600 m3/ora |
| 93 | Combina frigorifica | BR23.8A | 733 | | 276/264 l, A, 4 raft. sticla temperata, usa revers. |
| 93 | Combina frigorifica | BRB2710 | 663 | √ | 277/266 l, A, 4 raft. sticla temperata, usa revers. |
| 94 | Frigider cu congelator | BR201.3A | 496 | √ | 195/192 l, A, 4 raft. sticla temperata, usa revers. |
| 94 | Frigider | BR200.3A | 493 | | 206 l, A, 5 raft. sticla temperata, usa revers., decong. autom. |
| 95 | Congelator | BR508 | 446 | | 108 l, A, usa revers., cong. rapida |
| 95 | Frigider cu congelator | BR11.2A | 451 | | 130/126 l, A, usa revers., 2 raft. sticla temperata |
| 96 | Frigider | BR500 | 441 | | 147 l, A, usa revers., 3 raft. sticla temperata |
| 98 | Side-by-syde | TITAN2 | 1990 | √ | 541/506 l, A, "No Frost", dispenser apa, Ice maker autom., panou dig. |
| 98 | Side-by-syde | TITAN1 | 1910 | | 570/537 l, A, "No Frost", odorizant, inox anti-ampr. |
| 99 | Combina frigorifica | BF346SS | 941 | | 337/305 l, A, "No Frost", odorizant, inox anti-ampr., Freestanding |
| 100 | Mini crama 128 | BFW132SS | 988 | | 297 l, 132 sticle de 0.75 l, usa revers., 4 raft. lemn |
| 100 | Mini crama 46 | BFW46SS | 751 | | 150 l, 45 sticle de 0.75 l, usa revers., 4 raft. lemn |
| 101 | Mini crama 28 | BW28BL | 240 | | 78 l, 28 sticle de 1 l, 6 raft. ondulate |
| 101 | Mini crama 18 | BW18BL | 184 | √ | 60 l, 18 sticle de 1 l, 5 raft. ondulate cromate |
| 105 | Masina Spalat Vase | BDI681 | 820 | | 60 cm, 12 seturi, 9 progr., LED Display, Aquastop, AAA |
| 105 | Masina Spalat Vase | BDI652 | 611 | | 60 cm, 14 seturi, 5 progr., LED Display, Aquastop, AAA |
| 105 | Masina Spalat Vase | BDI633 | 539 | √ | 60 cm, 12 seturi, 9 progr., Aquastop, AAA |
| 105 | Masina Spalat Vase | BDI631 | 545 | | 60 cm, 12 seturi, 5 progr., AAA |
| 106 | Masina Spalat Vase | BDS670SS | 738 | | 60 cm, 12 seturi, 8 progr., LED Display, Aquastop, AAA |
| 106 | Masina Spalat Vase | BDW47 | 620 | √ | 45 cm, 9 seturi, 9 progr., LED Display, Aquastop, AAA |
| 106 | Masina Spalat Vase | BDS461SS | 788 | | 45 cm, 9 seturi, 9 progr., LED Display, Aquastop, AAA |
| 109 | Masina Spalat Rufe | BWD1212 | 895 | √ | 60 cm, spalare 6 kg, uscarea 5 kg, 12+3 progr., ACAB |
| | ACCESORII | | | | |
| 110 | Accesoriu pt. Cuptor | BPS2 | 29 | √ | Blat pt. pizza |
| 110 | Accesoriu pt. Cuptor | TELKIT | 84 | √ | Ghidaje telescop. |
| 110 | Accesoriu pt. Cuptor | TEL1KIT | 181 | | Ghidaje telescop. pt. modelele TG1, MG1, SB1 |
| 110 | Accesoriu pt. Cuptor | SCL2KIT | 44 | | Pereți catalitici autocuratori („Stay Clean”) pt. cuptor |
| 110 | Accesoriu pt. Cuptor | BTGRID | 38 | √ | Gratar din fonta |
| 110 | Accesoriu pt. Cuptor | BTJS | 25 | | Profil imbinare plite Domino |
| 110 | Accesoriu pt. Cuptor | PJS | 12 | √ | Profil imbinare plite Domino Pythagora |
| 110 | Accesoriu pt. Cuptor | BT15.8 | 14 | √ | Tava "Easy Clean" 1,3 cm inalt. |
| 110 | Accesoriu pt. Cuptor | BT31.8 | 14 | √ | Tava "Easy Clean" 3 cm adanc., perforata |
| 110 | Accesoriu pt. Cuptor | BT61.8 | 16 | √ | Tava "Easy Clean" 6 cm adanc., perforata |
| 110 | Accesoriu pt. Cuptor | BT25.8 | 15 | | Tava "Easy Clean" 1,3 cm adanc. |
| 110 | Accesoriu pt. Cuptor | BT90.8 | 24 | | Tava 3,3 cm adanc. pt. P901SS |
| 110 | Accesoriu pt. Cuptor | LEC20002 | 27 | | Tava "Easy Clean" 3 cm adanc. pt. TG1, MB1, SB1 |
| 110 | Accesoriu pt. Cuptor | LEC20003 | 27 | | Tava "Easy Clean" 1,5 cm adanc. pt. TG1, MB1, SB1 |
| 110 | Rama Cuptor microunde | BMK2SS | 115 | √ | Kit instalare in mobilier |
| 110 | Rama Cuptor microunde | BMK3SS | 115 | √ | Kit instalare in mobilier |
| 110 | Accesoriu Microunde | BBP3 | 47 | | Platou pt. rumenire |
| 110 | Accesoriu Microunde | GTR35 | 59 | | Tava din sticla pt. cuptor cu microunde |
| 110 | Accesoriu pt. Hota | BSC6SS | 43 | | Panou 60 cm din inox pt. hota de perete BTC6750GL |
| 110 | Accesoriu pt. Hota | BSC9SS | 64 | | Panou 90 cm din inox pt. hota de perete BT9.3GL, BTC9750GL |
| 110 | Accesoriu pt. Hota | BSB9SS | 109 | | Panou 90 cm de culoare neagra pt. hota de perete BT9.3BGL |
| 110 | Filtru carbon pt. Hota | CFC1 | 8 | | pt. CAN75.2SS |
| 110 | Filtru carbon pt. Hota | CFM1 | 8 | | pt. BT06.7ME |
| 110 | Filtru carbon pt. Hota | SCS13 | 33 | | pt. TG3, MG3, SB3, OMBRA3SS, P11SS, P12SS, P35SS |
| 110 | Filtru carbon pt. Hota | SCS14 | 16 | | pt. P31SS, P30SS, P15SS |
| 110 | Filtru carbon pt. Hota | SF11 | 6 | | pt. STD6.2W, STD6.2SS |
| 110 | Filtru carbon pt. Hota | ST1 | 13 | √ | pt. TEL06SS, F60.2SS, F90.2SS |
| 110 | Filtru carbon pt. Hota | S1 | 13 | √ | pt. BT9.3, BTC6750GL, BTC9750GL, BTC6740, BTC9740, PU9740 |

| Pagina | Tip Produs | Model | PR Euro | Stoc | Descriere |
|---------|------------------------|-----------|-----------|------|--|
| Catalog | | | TVA incl. | | |
| 110 | Filtru carbon pt. Hota | SCF13 | 85 | | pt. SEGRETO |
| 110 | Filtru carbon pt. Hota | SQ2 | 13 | | pt. PTI9735SS, BTI9170GL |
| 110 | Filtru carbon pt. Hota | 10868 | 17 | | pt. CASERTA 120, ALBENGA 70 |
| 110 | Filtru carbon pt. Hota | 10869 | 28 | | pt. ALBENGA 90, CASERTA 90, CASERTA 80 |
| 110 | Filtru carbon pt. Hota | 10874 | 30 | | pt. BARI |
| 110 | Filtru carbon pt. Hota | 10880 | 116 | | pt. ASTI |
| 110 | Filtru carbon pt. Hota | 10900 | 36 | | pt. ALASSIO |
| 110 | Filtru carbon pt. Hota | 10898 | 32 | | pt. CAPRI, RESANA 90 alba, RESANA 90 neagra, PIACENZA 150 |
| 110 | Filtru carbon pt. Hota | 10940 | 16 | √ | pt. Economy - SL 600, Economy - SL 900 |
| 110 | Filtru carbon pt. Hota | 15800 | 23 | | pt. SUNO |
| 110 | Motor | AWG-950 | 623 | | pt. hota |
| 110 | Motor | ZKG-750 | 426 | | pt. hota |
| 110 | Horn decorativ inox | CQ1SS | 174 | | pt. hota TG3, MG3, SB3 |
| 110 | Raft lemn | BW18KIT | 33 | √ | pt. mini crama BW18BL |
| 110 | Raft lemn | BW24KIT | 54 | | pt. mini crama BW28BL |
| 110 | Raft lemn | BFW46KIT | 17 | | pt. mini crama BFW46SS (1 buc.) |
| 110 | Raft lemn | BFW132KIT | 26 | | pt. mini crama BFW132SS (1 buc.) |
| 110 | Usa Masina Spalat | DWD450SS | 90 | | inox anti-ampr. cu maner pt. modelul BDW47 |
| 110 | Usa Masina Spalat | DWD600SS | 93 | | inox anti-ampr. cu maner pt. modelele BDI681, BDI652, BDI633, BDI631 |
| 110 | Usa Masina Spalat | DWS600SS | 81 | | inox anti-ampr. cu maner pt. modelul BDS670SS |